

Brisa, Brisa Distressed, Ellora, Coast, Promessa,
Ultraleather, Impasto, Lino & Montage



CFGroup™




Brisa — Ultrafabrics




- Superior durability – industry-leading 16 weeks hydrolysis results
- Blended backcloth includes recycled polyester and FSC/PEFC certified rayon – each linear yard contains approximately 8 recycled plastic bottles
- 300,000 double rubs (Wyzenbeek), 160,000 rubs (Martindale)
- Breathable technology promotes airflow for ultimate seating comfort
- Bleach cleanable (1:5 bleach/water solution)
- Notable acoustic properties when paired with Novawall acoustical wall systems*
- SCS Indoor Advantage Gold certified and REACH compliant
- Does not contain any Red List chemicals
- Available in 54 colorways

*North America only

[Click to view full collection](#)



533-2793 Harbor Mist




533-8269 Yukon Gold



533-3272 Iceberg



533-3823 Aztec




533-2793 Harbor Mist



533-8245 Cinnabar




533-2645 Cambridge Blue



533-1383 Pompeiian Red



533-2694 Night Navy



533-6528 Clear Quartz



533-3019 Birch



533-1373 Salsa



533-2698 Sterling Blue



533-5802 Ash



533-3946 New Sand



533-3591 Caramel



533-2697 Mineral



533-5360 Hazey



533-3022 Shiitake



533-3200 Peat



533-4361 Lambs Ear



533-5749 Black Onyx



533-3913 Truffle



533-3023 Coffee Bean



533-4303 Seaweed

[illegible]

- *North America only

The image displays a uniform, dark brown surface with a pronounced, irregular texture. The texture is reminiscent of leather, featuring a dense network of fine, interconnected lines and small, raised bumps that create a complex, organic pattern. The lighting is even, highlighting the tactile quality of the material without casting significant shadows or highlights. The overall appearance is one of a high-quality, durable material, possibly used for bookbinding or as a decorative background.

A close-up photograph of a brown leather surface. The leather has a prominent, irregular cracked texture, with the cracks forming a network of small, interconnected polygons. The color is a rich, warm brown, and the lighting highlights the texture and the slight sheen of the material. The background is a plain, light-colored surface.




A close-up photograph showing the intricate, cracked, and pebbled texture of a dark brown leather surface. The lighting highlights the ridges and valleys of the grain, giving it a three-dimensional appearance.



535-5773 Stormy

Ellora — Ultrafabrics



- Superior durability – industry-leading 16 weeks hydrolysis results
- Blended backcloth includes recycled polyester and FSC certified rayon – each linear yard contains approximately 8 recycled plastic bottles
- 300,000 double rubs (Wyzenbeek), 160,000 rubs (Martindale)
- Breathable technology promotes airflow for ultimate seating comfort
- Bleach cleanable (1:5 bleach/water solution)
- Notable acoustic properties when paired with Novawall acoustical wall systems*
- SCS Indoor Advantage Gold certified and REACH compliant
- Does not contain any Red List chemicals
- Available in 25 colorways

*North America only


[Click to view full collection](#)



604-9438 English Violet




604-5385 Mourning Dove



604-3563 Dawn Mist



604-4025 Coffee Cream



604-4024 Whale Bone




604-5388 Stone Gray



604-4370 Icy Pear




604-4023 Granola




604-4371 Olive Drab




604-0024 Antique Lace



604-8276 Sunset Gold



604-5390 Tungsten




604-7247 Cloud Green




604-5387 Silver Charm



604-3564 Roast Chestnut



604-6599 Rose Water



604-7248 Ocean Teal



604-5389 Outer Space



604-8277 Auburn



604-9438 English Violet



604-2815 Faded Denim




604-5386 Black Crow



604-8278 Clay Pot



604-9437 Fine Wine




604-2814 Navy Blazer

Coast — Ultrafabrics




- Superior durability – industry-leading 16 weeks hydrolysis results
- Blended backcloth includes recycled polyester and FSC/PEFC certified rayon – each linear yard contains approximately 8 recycled plastic bottles
- 400,000 double rubs (Wyzenbeek), 180,000 rubs (Martindale)
- Mildew and water resistant, including chlorinated and salt water
- Enhanced UV colorfastness
- Two years of real-world marine testing prior to introduction
- Passed weathering tests in both dry and humid climates
- EPA-registered antimicrobial protection does not contain triclosan and triclocarban
- Bleach cleanable (1:5 bleach/water solution)
- SCS Indoor Advantage Gold certified and REACH compliant
- Available in 17 colorways


[Click to view full collection](#)




640-4338 Stem Green



640-3797 Conch




640-3880 Savanna



640-2579 Glacial


640-5968 Feather




640-3890 Cabana




640-3881 Dusty Earth



640-4338 Stem Green



640-5381 Black Moor



640-3879 Terra



640-6086 Walrus Grey



640-7230 Calypso




640-2776 Naval Blue

Promessa — Ultrafabrics



- Superior durability – industry-leading 16 weeks hydrolysis results
- Blended backcloth contains recycled polyester and FSC/PEFC certified rayon – each linear yard contains approximately 8 recycled plastic bottles
- 400,000 double rubs (Wyzenbeek), 180,000 rubs (Martindale)
- Bleach cleanable (1:5 bleach/water solution)
- SCS Indoor Advantage Gold certified and REACH compliant
- Does not contain any Red List chemicals
- Available in 34 colorways


[Click to view full collection](#)




363-2695 Aquamarine



363-3785 Desert Taupe



363-3786 Buttered Toffee




363-2695 Aquamarine




363-5818 Ash




363-3462 Woodpecker



363-3145 Bronze



363-2604 Stone Blue




363-5817 Shale




363-3037 Horsehair



363-1444 Fireclay



363-7309 Malibu



363-5011 Battleship

Ultraleather — Ultrafabrics



- Superior durability – industry-leading 16 weeks hydrolysis resistance
- Backcloth features FSC/PEFC certified rayon
- 400,000 double rubs (Wyzenbeek), 180,000 rubs (Martindale)
- Bleach cleanable (1:5 bleach/water solution)
- SCS Indoor Advantage Gold certified and REACH compliant
- Does not contain any Red List chemicals
- Available in 71 colorways

[Click to view full collection](#)



291-5684 Arctic



291-4430 Eucalyptus




291-5668 Silver Pearl



291-4460 Parrot




291-5666 Dove Grey




291-7234 Emerald Isle



291-5040 Elephant



291-2553 Cyan




291-2508 Rain Dance



291-3286 Moth Wing




291-8272 Citronella



291-2685 Bayou



291-5763 Charcoal




291-1256 Papyrus



291-8243 Apricot




291-2552 Riviera



291-5806 Schooner




291-3778 Pecan



291-3612 Curry



291-2478 Diplomat Blue



291-5607 Raven Wing



291-3287 Cocoa Nib



291-1412 Earthenware




291-1312 Chianti




291-3666 Fudge

Impasto — Ultrafabrics



- Artisanal quality that honors handicraft techniques
- Crafted in North America
- Balances comfort, durability, and price
- Polycarbonate blend provides excellent performance – 10 weeks hydrolysis resistance
- Easy cleaning and care, bleach cleanable (1:5 bleach/water solution)
- 200,000 double rubs (Wyzenbeek), 150,000 rubs (Martindale)
- REACH compliant
- Does not contain any Red List chemicals
- Available in 25 colorways

[Click to view full collection](#)




733-14263 Mahogany Red



733-60973 Almond Milk



733-34673 Tofu




733-35143 Snickerdoodle




733-34863 Pumpernickel



733-73313 Golden Ochre



733-82683 Roasted Squash



733-33903 Amberglow



733-33343 Tiger Eye




733-00613 Ice Storm



733-60943 Arctic Fox



733-27743 Bristle Blue




733-27853 Deepwell



733-26053 Nocturne Blue



733-14263 Mahogany Red




733-14413 Firecracker




733-93543 Kalamata



733-43553 Light Moss



733-43393 Avocado



733-43563 Pine Needle




733-72373 Genesis




733-43403 Bay Leaf



733-53513 Incense



733-58843 Thunder




733-60983 Black Spinel

Lino — Ultrafabrics



- Artisanal quality that honors handicraft techniques
- Crafted in North America
- Balances comfort, durability, and price
- Polycarbonate blend provides excellent performance – 10 weeks hydrolysis resistance
- Easy cleaning and care, bleach cleanable (1:5 bleach/water solution)
- 200,000 double rubs (Wyzenbeek), 150,000 rubs (Martindale)
- REACH compliant
- Does not contain any Red List chemicals
- Available in 19 colorways

[Click to view full collection](#)




740-34513 Haystack



740-00503 White Marigold



740-34513 Haystack



740-82613 Yarrow



740-25143 Bosporous



740-58733 Coin



740-65783 Wigwam



740-34463 Cider



740-25123 Independence



740-50193 Lead



740-34063 Trunk



740-82603 Adobe Red




740-43323 Jadite

Montage — Ultrafabrics



- Artisanal quality that honors handicraft techniques
- Crafted in North America
- Balances comfort, durability, and price
- Polycarbonate blend provides excellent performance – 10 weeks hydrolysis resistance
- Easy cleaning and care, bleach cleanable (1:5 bleach/water solution)
- 200,000 double rubs (Wyzenbeek), 150,000 rubs (Martindale)
- REACH compliant
- Does not contain any Red List chemicals
- Available in 45 colorways

[Click to view full collection](#)




744-14403 Mimosa




744-56303 Silver Ash



744-53453 Gull



744-53473 Smoke Gray



744-60883 Cast Iron




744-35733 Alfalfa



744-33373 Alpaca




744-35673 Cinnamon Toast



744-36473 Cardamom




744-35723 Jojoba



744-35563 Cord



744-52173 Wax



744-35553 Old Penny



744-14223 Firebrick



744-14403 Mimosa




744-93533 Mulled Wine




744-14233 Red Rock




744-25033 Copen Blue



744-72353 Beryl



744-72313 Bluegrass



744-27863 Blue Graphite



744-25063 Indigo Batik



744-43493 Grasshopper



744-43253 Sorrel



744-43243 Balsam

Collection	Composition	Weight / Thickness	Repeat	Abrasion	Antimicrobial	Air Permeability / Sound Absorption
Brisa Brisa Distressed Ellora Recycled Bottles & Renewable Fibers	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% FSC/PEFC Certified Rayon Backing 35% FSC Certified Rayon Backing (Ellora)	8.9 oz. per sq. yard / Approx. 0.95 mm	8"V x 10.5"H (Brisa Distressed)	ASTM D4157 300,000 DR Wyzenbeek	N/A	ASTM D737 / ASTM C423
Coast Antimicrobial Outdoor Living Recycled Bottles & Renewable Fibers	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% FSC/PEFC Certified Rayon Backing	10.9 oz. per sq. yard / Approx. 1.10 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	ASTM E2180	N/A
Promessa Recycled Bottles & Renewable Fibers	100% Polycarbonate Polyurethane Surface 65% Recycled Polyester, 35% FSC/PEFC Certified Rayon Backing	11.5 oz. per sq. yard / Approx. 1.1 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	N/A	N/A
Ultraleather Renewable Fibers	100% Polycarbonate Polyurethane Surface 100% FSC/PEFC Certified Rayon Backing	9.7 oz. per sq. yard / Approx. 0.95 mm	N/A	ASTM D4157 400,000 DR Wyzenbeek	N/A	N/A
Impasto Lino Montage	Polycarbonate Blended Surface 65% Recycled Polyester, 35% Cotton Backing	13.1 oz. per sq. yard / Approx. 0.95 mm	N/A	ASTM D4157 200,000 DR Wyzenbeek	N/A	N/A
Hydrolysis:	16 Weeks (10 weeks: Impasto, Lino, & Montage) ASTM D3690 SECT. 6.11 (Hydrolytic Stability) ISO 1419 Method C (Accelerated Ageing)	F/R Rating: • ASTM E84 (adhered) - Class A • CA TB 117 - Pass • FMVSS 302 - Pass • NFPA 260 - Class 1 • UFAC - Class 1 • AB 2998				
Environmental:	PFAS-free SCS Indoor Advantage Gold certified REACH compliant Do not contain Red List chemicals (excludes Coast)	These fabrics, when treated and/or used with other compatible furniture components, have been shown to perform under the fire test conditions of ASTM E84 (unadhered), BS 5852 Source 0, 1 & 5 (Cig, Match and Crib 5), IMO FTPC Part 8, and BS EN 1021 Parts 1 & 2.				
Adhesion of Coating:	ASTM D751	Tensile Strength: BS EN ISO 1421				
Tear Strength:	ASTM D2261	Colorfastness to Crocking: AATCC 8, Grade 4-5 Wet & Dry				
Breaking Strength:	ASTM D751	Colorfastness to Light: AATCC 16.3, 200 Hours, Grade 4 ISO 105 B02, (method 3), Grade 6				
Width:	54"	Ultrafabrics' collections meet or exceed ACT Voluntary Performance Guidelines. For more information on certifications and standards, sustainability, as well as cleaning and care instructions, click here to visit our website.				